

**Please arrive at the time of your appointment**, or we may need to reschedule. Cancellation or rescheduling must be made at least 24 hours in advance, or you may be subject to a fee (according to the Patient Financial Policy).

Copay's/deductible/co-shares are determined by your insurance company. Depending on your policy, your insurance company may charge for every test that is completed, even if all on the same day.

Apart from being accompanied by a caretaker, guests are not recommended. Children, and those who require supervision, are not permitted.

Scheduled Test	INSTRUCTIONS
<b>___ Echocardiogram</b> ___ \ ___ \ ___   ___ : ___	1. Do not apply lotion or powder to your chest the day of the test. 2. You may take all your medications prior to testing.
<b>___ Carotid Ultrasound</b> ___ \ ___ \ ___   ___ : ___	1. Please do not wear anything tight fitting around your neck. 2. You may take all your medication prior to the testing.
<b>___ Venous/Reflux/Arterial doppler</b> ___ \ ___ \ ___   ___ : ___	1. You may take all your medication prior to the testing.
<b>___ Abdominal/Renal/Iliac (IVC) ultrasound</b> ___ \ ___ \ ___   ___ : ___	1. Do not eat or drink anything 6 hours prior. (Water is ok) 2. You may take all your medication prior to the testing with a small amount of water.
<b>___ ABI</b> ___ \ ___ \ ___   ___ : ___	1. Avoid any caffeine, alcohol or smoking 1 hour prior to testing. 2. You may take all your medication prior to the testing.
<b>___ Treadmill Stress Test (PST) / Stress Echo</b> ___ \ ___ \ ___   ___ : ___	1. Do not eat or drink 4 hours prior to testing. (Water is ok) 2. Wear comfortable clothing and shoes for walking on the treadmill. <b>3. Avoid caffeine and decaffeinated products for 12 hours prior to testing (i.e. coffee, tea, soda, and chocolate).</b> <b>4. Stop all medication listed below, but bring them with you, as we will have you take them at a certain point during the test.</b>
<b>___ Nuclear Stress Tests (Exercise &amp; Lexi)</b> ___ \ ___ \ ___   ___ : ___  *An IV will be started upon arrival. Test takes approximately 4 hours to complete. *This test is subject to a \$280 cancellation/no-show fee.	<b>1. Do not eat or drink 4 hours prior to test, (water is encouraged to hydrate for IV)</b> <b>2. No tobacco products 12 hours prior to test.</b> <b>3. Avoid caffeine and decaffeinated products for 24 hours prior to testing (i.e. coffee, tea, soda, and chocolate).</b> <b>5. Stop all medication listed below, but bring them with you, as we will have you take them at a certain point during the test.</b>

<b>HOLD 48 hours</b>
Cialis / Tadalafil

<b>HOLD 24 hours</b>
Isosorbide Viagra / Sildenafil Livitra / Vardenafil

<b>BETA BLOCKERS to HOLD 24 hours</b>		
Zebeta/Bisoprolol	Lopressor/Metoprolol Tartrate	Corgard/Nadolol
Tenormin/Atenolol	Toprol XL/Metoprolol Succinate	Bystolic/Nebivolol
Coreg/Carvedilol	Inderal/Propranolol	